




Product Data Sheet

2,6- Di Tertiary Butyl Phenol (2,6-DTBP)

CAS no. 128-39-2



Technical specification:-

Sr.No.	Parameter	Specification
1	Appearance	White to Slightly Yellowish Solid
2	% Purity	99.5 min
3	% PTBP	0.05 max
4	% OTBP	0.05 max
5	% 2,4-DTBP	0.15 Max
6	%2,5 DTBP	0.05 max
7	2,4,6-TTBP	10 ppm
8	Phenol Content	200 ppm max
8	APHA	50 Max
9	Moisture	300 ppm max
10	% Others	0.30 Max
11	Melting Point in C	34 Min

Applications

1. 2,6-DTBP is used as an intermediate to manufacture antioxidants that are used in polymers like polypropylene, polyethylene, polystyrene and other products.
2. 2,6-DTBP is used directly as an antioxidant in lubes, jet fuels, metal cutting fluids.

Packing

2,6-DTBP can be supplied in ISO Tankers of 150 kg galvanized drums.